

References

- Aase JM. Dysmorphologic diagnosis for the pediatric practitioner. *Ped Clin N Am* 1992; 39 (1): 135-57.
- Adeyokunnu, AA. Radial aplasia and amegakaryocytic thrombocytopenia (TAR syndrome) among Nigerian children. *Am J Dis Child* 1984; 138: 346-348.
- Allen DB, Hoffman GL, Fitzpatrick P, Laessig R, Maby S, Slyper A. Improved precision of newborn screening for congenital adrenal hyperplasia using weight-adjusted criteria for 17-hydroxyprogesterone levels. *J Pediatr* 1997; 130: 128- 33.
- American Cleft Palate-Craniofacial Association. Parameters for evaluation and treatment of patients with cleft lip/palate or other craniofacial anomalies. *Cleft Palate J* 1993, 1-25.
- American Academy of Pediatrics. The role of the primary care pediatrician in the management of high risk newborn infants. *Pediatr* 1996; 98 (4): 786-8.
- American Academy of Pediatrics. General principles in the care of children and adolescents with genetic disorders and other chronic health conditions. *Pediatr* 1997; 99: 643-4.
- American Academy of Pediatrics. General Principles in the Care of Children with Genetic Disorders. In: Genetic Disorders and Birth Defects: A Compendium of AAP Guidelines and Resources for the Primary Care Practitioner. American Academy of Pediatrics, Elk Grove Village, 1997, pp 1-2.
- Aylsworth AS. Medical Genetics II: Genetic counseling for patients with birth defects. *Ped Clin No Am* 1992; 39(2): 229-253.
- Azouz EM, Larson EJ, Patel J, Gyepes MT. Beckwith-Wiedemann syndrome: development of nephroblastoma during the surveillance period. *Ped Radiol* 1990; 20: 550-552.
- Barone MA. The Harriet Lane Handbook: a Manual for House Officers, 14th Edition, 1996. Mosby, St. Louis, p.255.
- Bennett RL, Steinhause KA, Uhrich SB, O'Sullivan CK, Resta RG, Lochner-Doyle D, Markel DS, Vincent V, Hamanishi J. Recommendations for standardized human pedigree nomenclature. *Am J Hum Genet* 1995; 56:75-752.
- Bishop KK. Psychosocial aspects of genetic disorders: implications for practice. *Families in Society: J Contemp Hum Serv* 1993; 74(4): 207-212.
- Bocian ME, Kaback MM. Crisis counseling: the newborn infant with a chromosomal anomaly. *Ped Clin No Am* 1978; 25 (3): 643-650.
- Chavez GF, Cordero JF, Becerra JE, Centers for Disease Control. Leads from the MMWR: Leading major congenital malformations among minority groups in the United States, 1981-1986. *J Amer Med Assn* 1989; 261 (2): 205-209.
- Chen H. An approach to work-up of dysmorphic patients: clinical, cytogenetic and molecular aspects. *Keio Med J* 1994; 43 (2): 98-107.
- Christianson RE, van den Berg BJ, Milkovich L, Oechsli FW. Incidence of congenital anomalies among white and black live births with long term follow-up. *Am J Pub Health* 1981; 71 (12): 1333-41.

- Cohen MM Jr. Syndromes with cleft lip and cleft palate. *Cleft Palate J* 1978; 15: 306 ff.
- Cunniff CC, Carmack JL, Kirby RS, Fiser DH. Contribution of heritable disorders to mortality in the pediatric intensive care unit. *Pediatr* 1995; 95 (5): 678-681.
- Davenport SLH. The child with multiple congenital anomalies. *Ped Ann* 1990; 19 (1): 23-33.
- Davis MK, Khoury MJ, Erickson JD. Pregnancy experience after delivery of a child with a major birth defect: a population study. *Pediatr* 1995; 95 (1): 59-65.
- DiLiberti JH. Use of computers in dysmorphology. *J Med Genet* 1988; 25 (7): 445-53.
- Donnai D. Dysmorphic disorders: an overview. *J Inherit Metab Dis* 1994; 17: 442-47.
- Edmonds L. *Personal communication*. Birth Defects and Genetic Disease Branch, Centers for Disease Control, Atlanta. 7/10/97.
- Epstein CJ. The new dysmorphology: application of insights from basic developmental biology to the understanding of human birth defects. *Proc Nat Acad Sci* 1995; 92: 8566-73.
- Evans MJ, Hume RJ, Johnson MP, Treadwell MC, Krivchenia EL, Zador IE, Sokol RJ. Integration of genetics and ultrasonography in prenatal diagnosis: just looking is not enough. *Am J Obstet Gynecol* 1996; 174: 1925-33.
- Ekwo EE, Kim JO, Gosselink CA. Parental perceptions of the burden of genetic disease. *Am J Med Genet* 1987; 28: 955-963.
- Feingold M, Bossert MH. Normal values for selected physical parameters: an aid to syndrome delineation. Ed. Bergsma D. *Birth Def Orig Art Ser* 1974; X (13): 1 - 16.
- Frias JL, Carey JC. Mild errors of morphogenesis. *Adv Pediatr* 1996; 43:27-75.
- Gorlin RJ, Cohen MM, Levin LS. *Syndromes of the Head and Neck*, Third Edition. Oxford University Press, New York, 1990.
- Guyer B, Strobino DM, Ventura SJ, Singh GK. Annual summary of vital statistics - 1994. *Pediatr* 1995; 96 (6): 1029-39.
- Guyer B, Strobino DM, Ventura SJ, MacDorman M, Martin JA. Annual summary of vital statistics - 1995. *Pediatr* 1996; 98 (6): 1007-27.
- Guyer B, Martin JA, MacDorman M, Anderson RN, Strobino DM. Annual summary of vital statistics - 1996. *Pediatr* 1997; 100 (6): 905-918.
- Hall BD. The state of the art of dysmorphology. *Am J Dis Child* 1993; 147: 1184-9.
- Hall JG. When a child is born with congenital anomalies. *Contemp Ped* 1988; August: 78-87.
- Hall JG. The value of the study of natural history in genetic disorders and congenital anomaly syndromes. *J Med Genet* 1988; 25: 434-444.
- Hall JG. The impact of birth defects and genetic diseases. *Arch Ped Adolesc Med* 1997; 151: 1082-83.
- Hofman KJ, Tambor ES, Chase GA, Geller G, Faden RR, Holtzman NA. Physicians' knowledge of genetics and genetic tests. *Acad Med* 1993; 68: 625-632.

- Holmes LB, Driscoll SG, Atkins L. Etiologic heterogeneity of neural tube defects. *N Eng J Med* 1976; 294:365-369.
- Holmes LB. Minor anomalies in newborn infants. *Am J Hum Genet* 1982; 34: 94A.
- Hudson KL, Rothenberg KH, Andrews LB, Ellis Kahn MJ, Collins FS. Genetic discrimination and health insurance: an urgent need for reform. *Science* 1995; 270: 391-393.
- Ives EJ, Henick P, Levers MI. The malformed newborn—telling the parents. *Birth Def Orig Art Ser Vol XV*, No. 5C, pp 223-231, 1979.
- Jones KL. Smith's Recognizable Patterns of Human Malformations, 5th Edition. W.B. Saunders, Philadelphia, 1997.
- Jones MC. Etiology of facial clefts: prospective valuation of 428 patients. *Cleft Pal J* 1988; 25 (1): 16-20.
- Kalter H, Warkany J. Congenital malformations: etiologic factors and their role in prevention (first of two parts). *N Eng J Med* 1983; 308 (8): 424-31.
- Kalter H, Warkany J. Congenital malformations: etiologic factors and their role in prevention (second of two parts). *N Eng J Med* 1983; 308 (9): 491-7.
- Kempe A, Wise PH, Wampler NS, Cole FS, Wallace H, Dickinson C, Rinehart H, Lezotte DC, Beaty B. Risk status at discharge and cause of death for postneonatal infant deaths: a total population study. *Pediatr* 1997; 99(3): 338-344.
- Kenen RH, Smith ACM. Genetic counseling for the next 25 years: models for the future. *J Genet Couns* 1995; 4(2): 115-124.
- Khoury MJ, Erickson JD, Cordero JF, McCarthy BJ. Congenital malformations and intrauterine growth retardation: a population study. *Pediatr* 1988; 82 (1): 83-90.
- Klein D, Shive K. Delivering difficult news. *Exceptional Parent*, August 1996, pp 44-48.
- Koh THHG, Cooper JE, Newman CL, Walker TM, Kiely EM, Blum Hoffmann E. Pancreatoblastoma in a neonate with Wiedemann-Beckwith syndrome. *Eur J Pediatr* 1986; 145: 435-438.
- Krahn GL, Hallum A, Kime C. Are there good ways to give “bad news”? *Pediatrics* 1993; 91 (3): 578-82.
- Lapham EV, Kozma C, Weiss J. Genetic discrimination: perspectives of consumers. *Science* 1996; 274: 621-624.
- Lebo RV, Cunningham G, Simons MJ, Shapiro LJ. Letter: Defining DNA diagnostic tests appropriate for standard clinical care. *Am J Hum Genet* 1990; 47: 583-586.
- Lebovitz RM, Pauli RM, Laxova R. Delayed diagnosis in congenital adrenal hyperplasia. *Am J Dis Child* 1984; 138: 571 - 573.
- Leppig KA, Werler MM, Cann CI, Cook CA, Holmes LB. Predictive value of minor anomalies I: association with major malformations. *J Pediatr* 1987; 110: 530-7.
- Lie RT, Wilcox AH, Skjaerven R. A population based study of the risk of recurrence of birth defects. *N Eng J Med* 1994; 331: 1-4.

- Lubinsky M. Neonatal assessment for anomalies and syndromes. Pediatric Basics #37, pp 4-7, 1984.
- Lubs ML. Does genetic counseling influence risk attitudes and decisionmaking? Birth Def Orig Art Ser Vol XV, No. 5C, pp. 355-367, 1979.
- Marden PM, Smith DW, McDonald MJ. Congenital anomalies in the newborn infant including minor variations. J Pediatr 1964; 64: 357-71.
- McCubbin HI, Patterson JM. Family adaptation to crises. In: HI McCubbin, AE Cauble and JM Patterson, (Eds.), Family Stress, Coping, and Social Support, Springfield, IL, CC Thomas, 1982.
- Merlob P, Sivan Y, Reisner SH. Anthropometric measurements of the newborn infant (27 to 41 gestational weeks). Ed. Paul NW. Birth Def Orig Art Ser 1984; 20(7): 1-52.
- Mili F, Edmonds LD, Khoury MJ, McClearn AB. Prevalence of birth defects among low-birth-weight infants: a population study. Am J Dis Child 1991; 145: 1313-8.
- Myrianthopoulos NC, Chung CS, Bergsma D. Congenital malformations in singletons: epidemiologic survey. Birth Def: Orig Art Series Vol X, No. 11, 1974, pp 1-58.
- Nadler HL. Role of the general pediatrician in genetics. Ped in Rev 1981; 3(1): 4-12.
- Nelson K, Holmes LB. Malformations due to presumed spontaneous mutations in newborn infants. N Eng J Med 1989; 320: 19-23.
- Nolan T, Pless IB. Emotional correlates and consequences of birth defects. Pediatrics 1986; 109 (1): 201-16.
- Nyhan WL. Structural abnormalities: a systematic approach to diagnosis. Clin Symp 1990; 42(2): 1-31.
- Olson J, Edwards M, Hunter JA. The physician's role in delivering sensitive information to families with handicapped children. Clin Pediatr 1987; 26: 231 - 234.
- Opitz JM. Study of the malformed fetus and infant. Ped in Rev 1981; 3 (2): 57-64.
- Opitz JM. What the general pediatrician should know about developmental anomalies. Peds in Rev 1982; 3(9): 267-271.
- Pauli RM, Scott CI, Wassman ER, Gilbert EF, Leavitt LA, Ver Hoeve J, Hall JG, Partington MW, Jones KL, Sommer A, Feldman W, Langer LO, Rimoin DL, Hecht JT, Levobitz R. Apnea and sudden unexpected death in infants with achondroplasia. J Pediatr 1984; 104: 342-8.
- Pelz J, Arendt V, Kunze J. Computer assisted diagnosis of malformation syndromes: an evaluation of three databases (LDDB, POSSUM and SYNDROC). Am J Med Genet 1996; 63: 257-267.
- Ptacek JT, Eberhardt TL. Breaking bad news: a review of the literature. J Amer Med Assoc 1996; 276 (6): 496-502.
- Reid CS, Pyeritz RE, Kopits SE, Maria BL, Wang H, McPherson RW, Hurko O, Phillips, JA, Rosenbaum AE: Cervicomedullary compression in young patients with achondroplasia: Value of comprehensive neurologic and respiratory evaluation. J Pediatr 1987; 110(3):522-530.

- Rice DP, Hodgson TA, Kopstein AN. The economic costs of illness; a replication and update. *Health Care Finan Rev* 7(1): 61-80.
- Rollnick BR, Pruzansky S. Genetic services at a center for craniofacial anomalies. *Cleft Palate J* 1981; 18 (4): 304-13.
- Rose CS, Patel P, Reardon W, Malcolm S, Winter RM. The TWIST gene, although not disrupted in Saethre-Chotzen patients with apparently balanced translocations of 7p21, is mutated in familial and sporadic cases. *Hum Mol Genet* 1997; 6(8): 1369-1373.
- Saal HM, Rosenbaum KN. Screening the newborn for anatomic and metabolic defects. *Ped Ann* 1988; 17 (7): 467-76.
- Scheuerle A. Facilitating diagnosis, prognosis and management: distinguishing isolated and syndromic anomalies. *J Craniof Surg* 1994; 5 (4): 208-212.
- Schimke RN. Genetic decision making and pastoral care: genetic counseling. *Hosp Pract* 1983; March: 35 - 40T.
- Segal S. Ethical issues presented by children with congenital anomalies. *Semin Perinatol* 1992; 16 (6): 369-73.
- Sever L, Lynberg MC, Edmonds LD. The impact of congenital malformations on public health. *Teratol* 1993; 547-9.
- Shapiro LR. Pitfalls in genetic counseling for childhood disorders: the pediatrician's role. *Amer J Dis Child* 1993; 147: 1253-4.
- Sharp MC, Strauss RP, Lorch SC. Communicating medical bad news: parents' experiences and preferences. *J Pediatr* 1992; 121: 539-46.
- Shokeir MHK. Managing the family of the abnormal newborn. *Birth Def Orig Art Ser Vol XV*, No. 5C, pp. 199-222, 1979.
- Shprintzen RJ, Siegel-Sadowitz V, Amato J, Goldberg RB. Anomalies associated with cleft lip, cleft palate or both. *Am J Med Genet* 1985; 20: 585-595.
- Shprintzen RJ. The implications of the diagnosis of Robin sequence. *Cleft Palate Craniof J.* 1992; 29: 205-209.
- Sikorski R, Peters R. Genomic medicine: Internet resources for medical genetics. *J Amer Med Assn* 1997; 278 (15) 1212 - 1213.
- Sillence DO, Barlow KK, Cole WG, Dietrich S, Garber AP, Rimoin DL. Osteogenesis imperfecta type III. Delineation of the phenotype with reference to genetic heterogeneity. *Am J Med Genet* 1986; 23: 821-832.
- Smith DW, Bostian KE. Congenital anomalies associated with idiopathic mental retardation. *J Pediatr* 1964; 65: 189-196.
- Smithells RW, Newman CGH. Recognition of thalidomide defects. *J Med Genet* 1992; 29: 716-723.
- Sorenson JR, Swazey JP, Scotch NA. Genetic counseling and its effectiveness, Chapter 6: Genetic counseling and client reproductive plans. *Birth Def: Orig Art Ser* 1981; XVII (4): 105-129.

- Spranger J, Benirschke K, Hall JG et al. Errors of morphogenesis: concepts and terms. *J Pediatr* 1982; 100: 160-5.
- Tint GS. Cholesterol defect in Smith-Lemli-Opitz syndrome. *Amer J Med Genet* 1993; 47: 4: 573-574.
- Van Regemorter N, Dodion J, Druart C, Hayez F, Vamos E, Flament-Durand J, Perlmutter-Cremer N, Rodesch F. Congenital malformations in 10,000 consecutive births in a university hospital: need for genetic counseling and prenatal diagnosis. *J Pediatr* 1984; 104: 386-90.
- Waitzman NJ, Romano PS, Scheffler RM. Estimates of the economic costs of birth defects. *Inquiry* 1994; 31: 188-205.
- Walker AP. Genetic Counseling. In: Emery and Rimoin's Principles and Practice of Medical Genetics, Ed., Rimoin DL, Connor JM, Pyeritz RE, New York, 1996, pp 595 - 618.
- Wardinsky TD. Visual clues to diagnosis of birth defects and genetic disease. *J Pediatr Health Care* 1994; 8: 63-73.
- Warkany J. Congenital Malformations: Notes and Comments, Year Book Medical Publications, Chicago, 1971.
- Weiss JO. Medical Genetics I: Support groups for patients with genetic disorders and their families. *Ped Clin No Am* 1992; 39(1): 13-22.
- Wenstrup RJ, Murad S, Pinnell SR. Ehlers-Danlos syndrome type VI: clinical manifestations of collagen lysyl hydroxylase deficiency. *J Pediatr* 1989; 115: 405-9.
- Wilkie AOM, Amberger JS, McKusick VA. A gene map of congenital malformations. *J Med Genet* 1994; 31: 507-17.
- Wilson GN. The child with birth defects: medical diagnosis and parental counseling. *Res Staff Phys* 1987; 33 (1): 96-102.
- Wilson GN. Genomics of human dysmorphogenesis. *Am J Med Genet* 1992; 42: 187-96.
- Winter RM. Recent molecular advances in dysmorphology. *Hum Molec Genet* 1995; 4: 1699-1704.
- Witt DR, Hall JG. Approach to multiple congenital anomaly syndromes. *Semin Perinatol* 1985; 9: 219 ff.